```
\defineletterelement [..1..] [..2..] [..3..] {..4..}

1   layer section

2   IDENTIFIER

3   IDENTIFIER

4   CONTENT
```

```
\letterelement [..1..] [..2..] [..3..]

1   layer section

2   IDENTIFIER

3   IDENTIFIER
```

```
\setupletter [..,..=..,..]

*   KEY  =  VALUE
```

```
\setupletterdescription [...1...] [..,..2..,..]

1   IDENTIFIER

2   spacebefore    =  inherits from \blank
    spaceafter     =  inherits from \blank
    spaceinbetween =  inherits from \blank
    before         =  COMMAND
    after          =  COMMAND
    headstyle      =  normal bold slanted boldslanted type cap small...
                      COMMAND
    headcolor      =  IDENTIFIER
    width          =  fit broad DIMENSION
    distance       =  DIMENSION
    location       =  left top text
```

```
\setupletterelements [..1..] [...2...]

1   IDENTIFIER

2   IDENTIFIER
```

```
\setupletterframe [...¹...] [..,..²..,..]

1   IDENTIFIER

2   inherits from \setupframe
```

```
\setupletterlayer [...¹...] [..,..²..,..]

1   IDENTIFIER

2   x          =  DIMENSION
    y          =  DIMENSION
    preset     =  lefttop righttop leftbottom rightbottom middle middletop
                  middlebottom middleleft middleright
    state      =  start stop next repeat left right even odd
    style      =  normal bold slanted boldslanted type cap small... COMMAND
    color      =  IDENTIFIER
    leftmargin =  standard yes no DIMENSION
    rightmargin =  standard yes no DIMENSION
    symbol     =  IDENTIFIER
    distance   =  DIMENSION
    alternative =  IDENTIFIER
    list       =  TEXT
    separator  =  TEXT
```

```
\setupletterlayout [...¹...] [..,..²..,..]

1   IDENTIFIER

2   inherits from \setuplayout
```

```
\setupletteroptions [..,..*..,..]

*   bodyfont        =  inherits from \setupbodyfont
    whitespace      =  inherits from \setupwhitespace
    backgroundcolor =  IDENTIFIER
    backgroundimage =  FILE
    background      =  COMMAND
    indenting       =  inherits from \setupindenting
    marking         =  yes no
    position        =  yes no
    option          =  test
```

```
\setuplettersection [...¹...] [..,..²..,..]

1   IDENTIFIER

2   spacebefore    = inherits from \blank
    spaceafter     = inherits from \blank
    spaceinbetween = inherits from \blank
    style          = normal bold slanted boldslanted type cap small...
                     COMMAND
    color          = IDENTIFIER
    leftmargin     = standard yes no DIMENSION
    rightmargin    = standard yes no DIMENSION
    before         = COMMAND
    after          = COMMAND
    align          = inherits from \setupalign
    indenting      = inherits from \setupindenting
    alternative    = IDENTIFIER
    separator      = TEXT
```

```
\setupletterstyle [...¹...] [..,..²..,..]

1   IDENTIFIER

2   style      = normal bold slanted boldslanted type cap small... COMMAND
    color      = IDENTIFIER
    titlestyle = normal bold slanted boldslanted type cap small... COMMAND
    titlecolor = IDENTIFIER
    textstyle  = normal bold slanted boldslanted type cap small... COMMAND
    textcolor  = IDENTIFIER
    separator  = TEXT
    width      = DIMENSION
```

```
\startletter [..,..*..,..] ... \stopletter
                  OPTIONAL
*   inherits from \setupletter
```

```
\useletterstyle [...*...]

*   FILE
```