

The easyfig Package

Martin Scharrer
martin@scharrer.me

CTAN: <http://www.ctan.org/pkg/easyfig>

VC: https://bitbucket.org/martin_scharrer/easyfig

Version v1.2 – 2012/05/15

Abstract

This package aims to simplify the most common usage of `figure` environments to include a single image with a caption and label.

1 Introduction

A very high percentage of all L^AT_EX figures aim to simply display a simple image with a caption and label. A common way to code this is:

```
\begin{figure}
  \centering
  \includegraphics[<options>]{<filename>}
  \caption{<caption text>}
  \label{<label>}
\end{figure}
```

This package provides an easy and short way to include figures like this. At the moment only single image figures are supported but it is planned to also support common 1x2 and 2x1 figures in future releases.

2 Usage

Macros

<pre>\Figure[<key=value pairs>]{<image filename>} \Figure*[<key=value pairs>]{<image filename>}</pre>

The macro creates a `figure` environment where the given image file is included using `\includegraphics` wrapped in an `adjustbox` environment. By default the image is centered and all keys which are not known by `\Figure` are passed to the internal `adjustbox` environment. This accepts all normal `\includegraphics` keys as well as many more. The starred version uses the `figure*` environment instead which will insert the figure over both columns in `twocolumn` mode.

Usually this macro is used as follows:

```
\Figure[caption={My caption},label=fig:mypic]{myimage}  
\Figure[caption={My caption}]{myimage}  
\Figure[caption={My caption},label=fig:mypic,placement=ht]{myimage}
```

```
\easyfigdefault{(key=value pairs (before))}  
\easyfigdefault*{(key=value pairs (after))}
```

Defines a list of key/value pairs which should be used by default. The normal version adds the pairs before the one given with the optional argument of `\Figure`, while the starred version adds them after these. If these macros are used more than once the old default settings are overwritten. This feature is similar to `\adjustboxset` from the used `adjustbox` package, but the keys are only affecting `\Figure` macros and do not stack. By default the *before* key list is empty and the *after* list is set to `center` which centers the image around the `\linewidth`, after any other transformation is applied. The default centering can be deleted using `\easyfigdefault*{}`.

Keys

The following keys exist to control the elements of the figure. All other keys are passed to the inner `adjustbox` environment from the `adjustbox` package.

```
caption=<caption>
```

Sets the `\caption` of the figure.

```
captionabove=<caption>
```

Sets the `\caption` of the figure which is placed above the figure instead of the default placement below it.

```
shortcaption=<short caption>
```

Sets the short version of the caption, i.e. the optional argument of `\caption`, used for the table-of-figures. This key only has an effect if either `caption` or `captionabove` is used as well. However, the order of keys is not meaningful.

```
label=<label>
```

Sets the `\label` of the figure. The order of this key and `caption` or `captionabove` is not meaningful. If the figure has a caption but this key is not used, a default label `'fig:<image filename>'` is used instead.

```
placement=<placement characters>
```

This key defines the requested placement of the figure. The value is then passed to the optional argument of `figure` or `figure*`. Valid positioning characters are

‘p’ (page), ‘t’ (top), ‘b’ (bottom), ‘h’ (here) and ‘!’ (force) and any additional characters defined by packages (like ‘H’).

`here`

Using this key the figure is placed at the current position and not using a `figure` float. Any `placement` key will be ignored. Note that this key is overwritten by any following `twocolumn` key.

`twocolumn`
`twocolumn=true|false`

This boolean key will use the `figure*` environment which make the figure span over both columns in a `twocolumn` document. It has the same effect as using `\Figure*`, but allows to switch between this two modes for all figures using `\easyfigdefault`. When used without a value ‘true’ is assumed. Any other value as ‘true’ switches to one-column mode, even if `\Figure*` was used.

Notable `adjustbox` Keys

The following keys are mentioned here because they are might be often used for images inside figures. Please see the `adjustbox` manual for further details and keys. In addition all `\includegraphics` keys as mentioned in the `grfguide` can of course be used.

`center=<length>`
`left=<length>`
`right=<length>`

Aligns the image at the center or to the left or right. The *optional* length defines the final width in with the image is aligned. By default the current `\linewidth` is used, which inside figures is normally identical to the `\textwidth`. If the image is wider than the given width it will overlap accordantly, i.e. on both sites, on the right or on the left, respectively. As mentioned above by default `center` is applied to all figures. This replaces the normally used `\centering`.

`width=<length>`
`height=<length>`
`totalheight=<length>`
`min width=<length>`
`min height=<length>`
`min size={<length>}{<length>}`
`max width=<length>`
`max height=<length>`
`max size={<length>}{<length>}`

Can be used to set the nominal/minimal/maximum width and height of the image.

```
frame  
frame=<length>
```

Adds a tight frame around the image.

```
fbox  
fbox=<length>  
fbox=<length> <sep>
```

Adds a frame around the image.

```
margin=<all sites>  
margin=<left/right> <top/bottom>  
margin=<llx> <lly> <urx> <ury>
```

This key can be used to add a margin (white space) around the image.

3 Examples

3.1 Simple figure with an image and caption, automated label

A default label 'fig:image' is used here.

```
\Figure[width=5cm,caption={An image}]{image}
```

3.2 Simple figure with an image and caption, manual label

Normal usage with a manual label.

```
\Figure[width=5cm,caption={Second image},label=fig:myimage]{image}
```

3.3 Usage of other keys

Adds a frame around the image which is rotated a little. The placement is fixed to top or bottom.

```
\Figure[width=5cm,angle=10,position=tb,caption={Another image},frame]{image}
```




Figure 1: An image




Figure 2: Second image




Figure 3: Another image

4 Implementation

```
7 %<!COPYRIGHT>
8 \ProvidesPackage{easyfig}[%
9 %<!DATE>
10 %<!VERSION>
11 %<*DRIVER>
12     2099/01/01 develop
13 %</DRIVER>
14     Easy way to include figures]

15 \RequirePackage{adjustbox}
16 \RequirePackage{xkeyval}
17 \RequirePackage{ifetex}

18 \let\easyfig@caption\@gobble
19 \let\easyfig@captionabove\@gobble
20 \let\easyfig@placement\@empty
21 \let\easyfig@default\@empty
22 \let\easyfig@default@end\@empty
23 \let\easyfig@shortcaption\@empty
24 \def\easyfig@env{{figure}}



\easyfigdefault



25 \newcommand*{\easyfigdefault}{%
26     \ifstar
27         {\def\easyfig@default@end}%
28         {\def\easyfig@default}%
29     }
30 \easyfigdefault*{center}



\easyfig@label



31 \def\easyfig@label#1{%
32     \ifundefined {easyfig@r@fig:#1}{%
33         \label{fig:#1}%
34         \global\@namedef{easyfig@r@fig:#1}{}}%
35     }{}%
36 }
```

`KV@easyfig@caption`

```

37 \define@key{easyfig}{caption}{%
38   \def\easyfig@caption##1{\expandafter\caption\
      easyfig@shortcaption{#1}\easyfig@label{##1}}%
39   \let\easyfig@captionabove\@gobble
40 }

```

KV@easyfig@shortcaption

```

41 \define@key{easyfig}{shortcaption}{%
42   \def\easyfig@shortcaption{[#1]}%
43 }

```

KV@easyfig@captionabove

```

44 \define@key{easyfig}{captionabove}{%
45   \let\easyfig@caption\@gobble
46   \def\easyfig@captionabove##1{%
47     \@tempdima=\abovecaptionskip
48     \abovecaptionskip=\belowcaptionskip
49     \belowcaptionskip=\@tempdima
50     \expandafter\caption\easyfig@shortcaption{#1}%
51     \easyfig@label{##1}%
52   }}%
53 }

```

KV@easyfig@label

```

54 \define@key{easyfig}{label}{%
55   \def\easyfig@label##1{\label{#1}}%
56 }

```

KV@easyfig@placement

```

57 \define@key{easyfig}{placement}{%
58   \def\easyfig@placement{[#1]}%
59 }

```

KV@easyfig@here

```

60 \define@key{easyfig}{here}[]{%
61   \def\easyfig@env{\easyfighere}%
62 }

```

`easyfighere`

```
63 \newenvironment{easyfighere}{%
64   \trivlist
65   \def\@capttype{figure}%
66   \item\relax
67 }{%
68   \endtrivlist
69 }
```

`KV@easyfig@twocolumn`

```
70 \define@key{easyfig}{twocolumn}[true]{%
71   \begingroup
72   \def\@tempa{#1}%
73   \def\@tempb{true}%
74   \ifx\@tempa\@tempb
75     \endgroup
76     \def\easyfig@env{{figure*}}%
77   \else
78     \endgroup
79     \def\easyfig@env{{figure}}%
80   \fi
81 }
```

`\Figure`

```
82 \newcommand{\Figure}{%
83   \begingroup
84   \@ifstar
85     {\def\easyfig@env{{figure*}}\@Figure}%
86     {\@Figure}%
87 }
```

```
88 \ifetex
```

Efficient ϵ -TeX definition:

`\easyfig@expandonce`

```
89 \def\easyfig@expandonce#1{%
90   \expandafter\unexpanded\expandafter{#1}%
91 }
```


`\@Figure`

```
92 \newcommand{\@Figure}[2][{}]{%
93   \edef\@tempa{%
94     \noexpand\setkeys*{easyfig}{%
95       \easyfig@expandonce\easyfig@default,%
96       \unexpanded{#1},%
97       \easyfig@expandonce\easyfig@default@end
98     }%
99   }%
100   \@tempa
101   \edef\@tempa{%
102     \noexpand\begin\easyfig@env%
103     \easyfig@placement
104   }%
105   \@tempa
106   \easyfig@captionabove{#2}%
107   \edef\@tempa{\noexpand\begin{adjustbox}{\easyfig@expandonce\✓
108     XKV@rm}}%
109   \@tempa
110     \includegraphics{#2}%
111   \end{adjustbox}%
112   \easyfig@caption{#2}%
113   \expandafter\end\easyfig@env%
114   \endgroup
115 }
116 \else
117   Fall-back definition for distributions which do not support  $\epsilon$ -TeX:
```

`\@Figure`

```
116 \newcommand{\@Figure}[2][{}]{%
117   \def\@tempa{\setkeys*{easyfig}}%
118   \expandafter\toks@\expandafter{\easyfig@default,#1}%
119   \expandafter\expandafter\expandafter\toks@
120   \expandafter\expandafter\expandafter{\expandafter\the\✓
121     expandafter\toks@\expandafter,\easyfig@default@end}%
122   \expandafter\@tempa\expandafter{\the\toks@}
123   \edef\@tempa{\noexpand\begin\easyfig@env}%
124   \expandafter\@tempa\easyfig@placement
125   \easyfig@captionabove{#2}%
126   \def\@tempa{\begin{adjustbox}}%
127   \expandafter\def\expandafter\@tempb\expandafter{\expandafter\✓
128     {\XKV@rm}}%
129   \expandafter\@tempa\@tempb
130   \includegraphics{#2}%
131 }
```

```
129     \end{adjustbox}%  
130     \easyfig@caption{#2}%  
131     \expandafter\end\easyfig@env%  
132     \endgroup  
133 }  
  
134 \fi
```